

Lot #	Online Item Description
100	<p>Crown C51000-50 4024AN20 Engine Mast Type, Quad Lift Height - 258"/6550mm Collapsed Ht. - 89"/2265mm Tilt, - 3 Deg Back / 5 Deg Forward Less Forks, Fork Spread - 36"/915mm, Fork Carriage Width - 38"/965mm, UL Rating - LP Gas UL "LP" Rated, Fuel Type - lpg LPG, Emissions Standards - EPA or CARB Emission ,LP Bottle Bracket - Fold Down LP Bottle, Exhaust System - lp.muffl LPG Catalytic, Cooling System - dualopen Dual Opencore,Air Intake - singleme Single Element Mec, Battery Type - gel Wet Cell - Severe Dut, Alternator - 12 Volt, No Enclosure, Transaxle - hdt Hydrodynamic Transaxle, Brake System Power Brakes, Steer Axle - iso Isomounted Steer Axle, Steer Cylinder Shield, OHG - iso Isomounted Operator Cell, OHG Height - 84"/2135mm, Three Pedals with Levers, Display Option - basic Basic Display, Hydraulic Control - manual Manual Contro, Trvl Lev Loc - Left, Low LP Light, fuel.sen Fuel Level Sensor, Seat - Flex Seat w/Fabric, ] Crown Hip Restraint, high Visibility Seatbelt, No Storage Pocket on Seat, No Seat Spacer, 13" Steering Wheel, Travel Alarm - Reverse Travel Alarm,Front LED Worklights, Strobe Light - Amber LED, Blue Rear Floor Light Key On, Fire Extinguisher, B-Post Horn, Counterweight Wedge, Tow Hitch Pin, Rubber Floor Mat, Wide Tread, Drive Tire - Non-Marking Smooth, Steer Tires - Non-Marking Smooth, Standard Grounding Strap, Double Accessory Hydraulics, Double Accessory Plumbing, No Hydraulic Function W/Cable, Double Function QD, Pressure Regulator, Third Lever Function, Sideshifter Symbol, Fourth Lever Function, Carton Clamp Symbol, CUSTOM, Load Backrest, 39"/990mm x 30"/760mm, Language - US English S/N: 10188136 (2020) NO ATTACHMENTS INCLUDED</p>

Lot #	Online Item Description
101	<p>Crown C51000-50 4024AN20 Engine, Mast Type - Crown Quad, Lift Height - 258"/6550mm, Collapsed Ht. - 89"/2265mm, Tilt - 3 Deg Back / 5 Deg Forward, Less Forks Fork Spread - 36"/915mm, Fork Carriage Width - 38"/965mm, UL Rating - LP Gas UL "LP" Rated, Fuel Type - lpg LPG, Emissions Standards - EPA or CARB Emissions, LP Bottle Bracket - Fold Down LP Bottle, Exhaust System - lp.muffl LPG Catalytic, Cooling System - dualopen Dual Opencore Air Intake - singleme Single Element Mec, Battery Type - gel Wet Cell - Severe Dut, Alternator - 12 Volt, No Enclosure, Transaxle - hdt ,Hydrodynamic Transaxle, Brake System , Power Brakes, Steer Axle - iso Isomounted Steer Axle, Steer Cylinder Shield, OHG - iso Isomounted Operator Cell, OHG Height - 84"/2135mm, Three Pedals with Levers, Display Option - basic Basic Display, Hydraulic Control - manual Manual Control, Trvl Lev Loc - Left, Low LP Light, fuel.sen Fuel Level Sensor, Seat - Flex Seat w/Fabric, Crown Hip Restraint, High Visibility Seatbelt, No Storage Pocket on Seat, No Storage Pocket on Seat, No Seat Spacer,13" Steering Wheel, Travel Alarm - Reverse Travel Alarm, Front LED Worklights, strobe Light - Amber LED, Blue Rear Floor Light Key On, Fire Extinguisher, B-Post Horn, Counterweight Wedge, Tow Hitch Pin, Rubber Floor Mat, Wide Tread, Drive Tire - Non-Marking Smooth, Steer Tires - Non-Marking Smooth, Standard Grounding Strap, Double Accessory Hydraulics, Pressure Regulator, Third Lever Function, Blank Symbol, Fourth Lever Function, Carton Clamp Symbol, CUSTOM Load Backrest, 39"/990mm x 30"/760mm, Language - US English, Paint - Crown Beige/Gray Paint Colors, Shipment Handling - Standing, Destination Country - United States, Extended Warranty, Major Components - 12 Months, Hour Limitations - 0, Wearables Items - 3 Months. 36 Month Powertrain Warranty S/N: 10208638 (2020)</p>



Lot #	Online Item Description
102	<p>Crown C51000-50 Mast Type - Crown Quad;Lift Height - 258"/6550mm,Collapsed Ht. - 89"/2265mm, Tilt - 3 Deg Back / 5 Deg Forward, Less Forks, Fork Spread - 36"/915mm,Fork Carriage Width - 38"/965mm, UL Rating - LP Gas UL "LP" Rated, Fuel Type - lpg LPG,Emissions Standards - EPA or CARB Emissions, LP Bottle Bracket - Fold Down LP Bottle, Exhaust System - lp.muffl LPG Catalytic, Cooling System - dualopen Dual Opencore, Air Intake - singleme Single Element Mec, Side Covers - Vented Side Covers, Battery Type - gel Wet Cell - Severe Dut, Alternator - 12 Volt, No Enclosure, Transaxle - hdt Hydrodynamic Transaxle, Brake System -Power Brakes, Steer Axle - iso Isomounted Steer Axle, Steer Cylinder Shield, OHG - iso Isomounted Operator Cell, OHG Height - 84"/2135mm, Full Belly Pan (Screen), Three Pedals with Levers, Display Option - basic Basic Display, Hydraulic Control - manual Manual Control, Trvl Lev Loc - Left, Low LP Light -, fuel.sen Fuel Level Sensor Seat - Flex Seat w/Fabric Crown Hip Restraint, High Visibility Seatbelt, No Storage Pocket on Seat- No Seat Spacer, 13" Steering Wheel, Travel Alarm - Reverse Travel Alarm, Front LED Worklights, Strobe Light - Amber LED, Blue Rear Floor Light Key On, Fire Extinguisher, B-Post Horn, Counterweight Wedge, Tow Hitch Pin, Rubber Floor Mat, Wide Tread, Drive Tire - Non-Marking Smooth, Steer Tires - Non-Marking Smooth, Standard Grounding Strap, Double Accessory Hydraulics, Pressure Regulator, Third Lever Function, Blank Symbol, Fourth Lever Function, Carton Clamp Symbol, CUSTOM, Load Backrest -,39"/990mm x 30"/760mm, Language - US English, Paint - Crown Beige/Gray Paint Colors, Shipment Handling - Standing, Shipment Handling - Standing, Destination Country - United States, Extended Warranty, Major Components - 12 Months, Hour Limitations - 0, Wearables Items - 3 Months, 36 Month</p>



Lot #	Online Item Description
103	<p>Crown C51000-50 Mast Type - Crown Quad,Lift Height - 258"/6550mm,Collapsed Ht. - 89"/2265mm,Tilt - 3 Deg Back / 5 Deg Forward,Less Forks Fork Spread - 36"/915mm,Fork Carriage Width - 38"/965mm,UL Rating - LP Gas UL "LP" Rated,Fuel Type - lpg LPG,Emissions Standards - EPA or CARB Emission, LP Bottle Bracket - Fold Down LP Bottle, Exhaust System - lp.muffl LPG Catalytic, Cooling System - dualopen Dual Opencore Air Intake - singleme Single Element Mec, Side Covers - Vented Side Covers, Battery Type - gel Wet Cell - Severe Dut, Alternator - 12 Volt, No Enclosure, Transaxle - hdt Hydrodynamic Transaxle, Brake System -Power Brakes, Steer Axle - iso Isomounted Steer Axle, Steer Cylinder Shield, OHG - iso Isomounted Operator Cell, OHG Height - 84"/2135mm, Full Belly Pan (Screen), Three Pedals with Levers, Display Option - basic Basic Display, Hydraulic Control - manual Manual Control, Trvl Lev Loc - Left, Low LP Light -fuel.sen Fuel Level Sensor, Seat - Flex Seat w/Fabric, Crown Hip Restraint, High Visibility Seatbelt, No Storage Pocket on Seat, No Seat Spacer, 13" Steering Wheel, Travel Alarm - Reverse Travel Alarm, Front LED Worklights, Strobe Light - Amber LED, Blue Rear Floor Light Key On, Fire Extinguisher, B-Post Horn, Counterweight Wedge,Tow Hitch Pin, Rubber Floor Mat, Wide Tread, Drive Tire - Non-Marking Smooth, Steer Tires - Non-Marking Smooth, Standard Grounding Strap, Double Accessory Hydraulics, Pressure Regulator, Third Lever Function -Blank Symbol, Fourth Lever Function -Carton Clamp Symbol, CUSTOM,Load Backrest -,39"/990mm x 30"/760mm, Language - US English, Paint - Crown Beige/Gray Paint Colors, Shipment Handling - Standing, Shipment Handling - Standing, D-36 Month Powertrain Warranty S/N: 10336810 (2022)</p>

Lot #	Online Item Description
104	<p>Crown C-51000-50 Mast Type - Crown Quad, Lift Height - 258"/6550mm, Collapsed Ht. - 89"/2265mm, Tilt - 3 Deg Back / 5 Deg Forward, Less Forks, Fork Spread - 36"/915mm, Fork Carriage Width - 38"/965mm, UL Rating - LP Gas UL "LP" Rated, Fuel Type - lpg LPG, Emissions Standards - EPA or CARB Emission LP Bottle Bracket - Fold Down LP Bottle, Exhaust System - lp.muffl LPG Catalytic, Cooling System - dualopen Dual Opencore, Air Intake - singleme Single Element Mec, Side Covers - Vented Side Covers, Battery Type - gel Wet Cell - Severe Dut, Alternator - 12 Volt, No Enclosure Transaxle - hdt Hydrodynamic Transaxle, Brake System -, Power Brakes, Steer Axle - iso Isomounted Steer Axle, Steer Cylinder Shield, OHG - iso Isomounted Operator Cell, OHG Height - 84"/2135mm, Full Belly Pan (Screen), Three Pedals with Levers, Display Option - basic Basic Display, Hydraulic Control - manual Manual Control, Trvl Lev Loc - Left, Low LP Light -fuel.sen Fuel Level Sensor, Seat - Flex Seat w/Fabric Crown Hip Restraint, High Visibility Seatbelt, No Storage Pocket on Seat, No Seat Spacer, 13" Steering Wheel, Travel Alarm - Reverse Travel Alarm, Front LED Worklights, Strobe Light - Amber LED, Blue Rear Floor Light Key On, Fire Extinguisher, B-Post Horn, Counterweight Wedge, Tow Hitch Pin, Rubber Floor Mat, Wide Tread, Drive Tire - Non-Marking Smooth, Steer Tires - Non-Marking Smooth, Standard Grounding Strap, Double Accessory Hydraulics, Pressure Regulator, Third Lever Function - Blank Symbol, Fourth Lever Function -Carton Clamp Symbol, CUSTOM, Load Backrest - 39"/990mm x 30"/760mm, Language - US English, Paint - Crown Beige/Gray Paint Colors, Shipment Handling - Standing, Shipment ,Handling - Standing, Destination Country - United States, Extended Warranty, Major Components - 12 Months, Hour Limitations - Wearables Items - 3 Months, 36</p>

Lot #	Online Item Description
105	<p>Crown C-51000-50-With Side Shift and Forks, Mast Type - Crown Quad, Lift Height - 258"/6550mm, Collapsed Ht. - 89"/2265mm, Tilt - 3 Deg Back / 5 Deg Forward, Less Forks, Fork Spread - 36"/915mm, Fork Carriage Width - 38"/965mm, UL Rating - LP Gas UL "LP" Rated, Fuel Type - lpg LPG, Emissions Standards - EPA or CARB Emissions, LP Bottle Bracket - Fold Down LP Bottle, Exhaust System - lp.muffl LPG Catalytic, Cooling System - dualopen Dual Opencore, Air Intake - singleme Single Element Mec, Side Covers - Vented Side Covers, Battery Type - gel Wet Cell - Severe Dut, Alternator - 12 Volt, No Enclosure, Transaxle - hdt Hydrodynamic Transaxle, Brake System - Power Brakes, Steer Axle - iso Isomounted Steer Axle, Steer Cylinder Shield, OHG iso Isomounted Operator Cell, OHG Height - 84"/2135mm, Full Belly Pan (Screen), Three Pedals with Levers, Display Option - basic Basic Display, Hydraulic Control - manual Manual Control, Trvl Lev Loc - Left, Low LP Light - fuel.sen Fuel Level Sensor, Seat - Flex Seat w/Fabric, Crown Hip Restraint, High Visibility Seatbelt, No Storage Pocket on Seat, No Seat Spacer , 13" Steering Wheel, Travel Alarm - Reverse Travel Alarm, Front LED Worklights, Strobe Light - Amber LED, Blue Rear Floor Light Key On, Fire Extinguisher, B-Post Horn, Counterweight Wedge Tow Hitch Pin, Rubber Floor Mat, Wide Tread, Drive Tire - Non-Marking Smooth, Steer Tires - Non-Marking Smooth, Standard Grounding Strap, Double Accessory Hydraulics, Pressure Regulator, Third Lever Function - Blank Symbol, Fourth Lever Function -, Carton Clamp Symbol, CUSTOM, Load Backrest -, 39"/990mm x 30"/760mm, Language - US English, Paint - Crown Beige/Gray Paint Colors, Shipment Handling - Standing, Shipment Handling - Standing, Destination Country - United States, Extended Warranty, Major Components - 12 Months, Hour Limitations - Wearables</p>



Lot #	Online Item Description
106	<p>Crown C-51000-50 Mast Type - Crown Quad, Lift Height - 258"/6550mm, Collapsed Ht. - 89"/2265mm, Tilt - 3 Deg Back / 5 Deg Forward, Less Forks, Fork Spread - 36"/915mm, Fork Carriage Width - 38"/965mm, UL Rating - LP Gas UL "LP" Rated, Fuel Type - lpg LPG, Emissions Standards - EPA or CARB Emissions, LP Bottle Bracket - Fold Down LP Bottle, Exhaust System - lp.muffl LPG Catalytic, Cooling System - dualopen Dual Opencore, Air Intake - singleme Single Element Mec, Side Covers - Vented Side Covers, Battery Type - gel Wet Cell - Severe Dut,Alternator - 12 Volt, No Enclosure, Transaxle - hdt Hydrodynamic Transaxle, Brake System -, Power Brakes, Steer Axle - iso Isomounted Steer Axle, Steer Cylinder Shield, OHG - iso Isomounted Operator Cell, OHG Height - 84"/2135mm, Full Belly Pan (Screen),[270] Three Pedals with Levers,Display Option - basic Basic Display, Hydraulic Control - manual Manual Control, Trvl Lev Loc - Left,Low LP Light -, fuel.sen Fuel Level Sensor, Seat - Flex Seat w/Fabric, Crown Hip Restraint, High Visibility Seatbelt, No Storage Pocket on Seat, No Seat Spacer, 13" Steering Wheel, Travel Alarm - Reverse Travel Alarm, Front LED Worklights, Strobe Light - Amber LED, Blue Rear Floor Light Key On, Fire Extinguisher, B-Post Horn, Counterweight Wedge, Tow Hitch Pin, Rubber Floor Mat, Wide Tread, Drive Tire - Non-Marking Smooth, Steer Tires - Non-Marking Smooth, Standard Grounding Strap, Double Accessory Hydraulics, Pressure Regulator, Third Lever Function -, Blank Symbol, Fourth Lever Function -,Carton Clamp Symbol, CUSTOM, Load Backrest - , 39"/990mm x 30"/760mm, Language - US English, Paint - Crown Beige/Gray Paint Colors, Shipment Handling - Standing, Shipment Handling - Standing Destination Country - United States, Extended Warranty, Major Components - 12 Months, Hour Limitations - 0, Wearables Items - 3 Months, 36 Month Powertrain Warranty S/N: 10352716 (2022) NO ATTACHMENTS INCLUDED</p>



Lot #	Online Item Description
107	<p>Crown C-51000-50 With Side Shift and Forks, Mast Type - Crown Quad, Lift Height - 258"/6550mm, Collapsed Ht. - 89"/2265mm, Tilt - 3 Deg Back / 5 Deg Forward, Less Forks, Fork Spread - 36"/915mm, Fork Carriage Width - 38"/965mm, UL Rating - LP Gas UL "LP" Rated, Fuel Type - lpg, LPG, Emissions Standards - EPA or CARB Emissions, LP Bottle Bracket - Fold Down LP Bottle, Exhaust System - lp.muffl LPG Catalytic, Cooling System - dualopen Dual Opencore, Air Intake - singleme Single Element Mec, Side Covers - Vented Side Covers, Battery Type - gel Wet Cell - Severe Dut, Alternator - 12 Volt, No Enclosure, Transaxle - hdt Hydrodynamic Transaxle, Brake System -Power Brakes, Steer Axle - iso Isomounted Steer Axle, Steer Cylinder Shield OHG - iso Isomounted Operator Cell, OHG Height - 84"/2135mm, Full Belly Pan (Screen), Three Pedals with Levers, Display Option - basic Basic Display, Hydraulic Control - manual Manual Control, Trvl Lev Loc - Left, Low LP Light - fuel.sen Fuel Level Sensor, Seat - Flex Seat w/Fabric, Crown Hip Restraint, High Visibility Seatbelt, No Storage Pocket on Seat, No Seat Spacer, 13" Steering Wheel, Travel Alarm - Reverse Travel Alarm, Front LED Worklights, Strobe Light - Amber LED, Blue Rear Floor Light Key On, Fire Extinguisher, B-Post Horn, Counterweight Wedge, Tow Hitch Pin, Rubber Floor Mat, Wide Tread, Drive Tire - Non-Marking Smooth, Steer Tires - Non-Marking Smooth, Standard Grounding Strap, Double Accessory Hydraulics, Double Accessory Plumbing, No Hydraulic Function W/Cable, Pressure Regulator, Third Lever Function -, Blank Symbol, Fourth Lever Function -,Carton Clamp Symbol, CUSTOM, Load Backrest - 39"/990mm x 30"/760mm, Language - US English, Paint - Crown Beige/Gray Paint Colors, Shipment Handling - Standing, Destination Country - United States, Extended Warranty, Major Components - 12 Months, Hour Limitations - Wearables Items - 3 Months, 36 Month Powertrain Warranty S/N:</p>



Lot #	Online Item Description
108	Crown C-51000-50 Mast Type - Crown Quad ,[30] Lift Height - 258"/6550mm, [40] Collapsed Ht. - 89"/2265mm, Tilt - 3 Deg Back / 5 Deg Forward,Less Forks ,Fork Spread - 36"/915mm, Fork Carriage Width - 38"/965mm, UL Rating - LP Gas UL "LP" Rated, Fuel Type - lpg LPG, Emissions Standards - EPA or CARB Emissions, LP Bottle Bracket - Fold Down LP Bottle, Exhaust System - lp.muffl LPG Catalytic, Cooling System - dualopen Dual Opencore, Air Intake - singleme Single Element Mec, Side Covers - Vented Side Covers, Battery Type - gel Wet Cell - Severe Dut, Alternator - 12 Volt, No Enclosure, Transaxle - hdt Hydrodynamic Transaxle, Brake System -Power Brakes, Steer Axle - iso Isomounted Steer Axle, Steer Cylinder Shield, OHG - iso Isomounted Operator Cell, OHG Height - 84"/2135mm, Full Belly Pan (Screen), Three Pedals with Levers, Display Option - basic Basic Display, Hydraulic Control - manual Manual Control, Trvl Lev Loc - Left, Low LP Light fuel.sen Fuel Level Sensor, Seat - Flex Seat w/Fabric Crown Hip Restraint, High Visibility Seatbelt, No Storage Pocket on Seat, No Seat Spacer, 13" Steering Wheel, Travel Alarm - Reverse Travel Alarm, Front LED Worklights, Strobe Light - Amber LED, Blue Rear Floor Light Key On, Fire Extinguisher, B-Post Horn, Counterweight Wedge, Tow Hitch Pin, Rubber Floor Mat, Wide Tread, Drive Tire - Non-Marking Smooth, Steer Tires - Non-Marking Smooth, Standard Grounding Strap, Double Accessory Hydraulics, Double Accessory Plumbing, No Hydraulic Function W/Cable, Pressure Regulator, Third Lever Function -, Blank Symbol, Fourth Lever Function -,Carton Clamp Symbol, CUSTOM, Load Backrest -, 39"/990mm x 30"/760mm, Language - US English, Paint - Crown Beige/Gray Paint Colors, Shipment Handling - Standing, Destination Country - United States, Extended Warranty, Major Components - 12 Months, Hour Limitations - Wearables Items - 3 Months, 36 Month Powertrain Warranty S/N: 10477486 (2022) NO ATTACHMENTS INCLUDED



Lot #	Online Item Description
109	<p>Crown C-51000-50 Mast Type - Crown Quad, [30] Lift Height - 258"/6550mm, Collapsed Ht. - 89"/2265mm, Tilt - 3 Deg Back / 5 Deg Forward, Less Forks, Fork Spread - 36"/915mm, Fork Carriage Width - 38"/965mm, UL Rating - LP Gas UL "LP" Rated, Fuel Type - lpg LPG, Emissions Standards - EPA or CARB Emissions, LP Bottle Bracket - Fold Down LP Bottle, Exhaust System - lp.muffl LPG Catalytic, Cooling System - dualopen Dual Opencore, Air Intake - singleme Single Element Mec, Side Covers - Vented Side Covers, Battery Type - gel Wet Cell - Severe Dut, Alternator - 12 Volt, No Enclosure, Transaxle - hdt Hydrodynamic Transaxle, Brake System - Power Brakes, Steer Axle - iso Isomounted Steer Axle, Steer Cylinder Shield, OHG - iso Isomounted Operator Cell, OHG Height - 84"/2135mm, Full Belly Pan (Screen), Three Pedals with Levers, Display Option - basic Basic Display, Hydraulic Control - manual Manual Control, Trvl Lev Loc - Left, Low LP Light -, fuel.sen Fuel Level Sensor, Seat - Flex Seat w/Fabric, Crown Hip Restraint, High Visibility Seatbelt, No Storage Pocket on Seat, No Seat Spacer, 13" Steering Wheel, Travel Alarm - Reverse Travel Alarm, Front LED Worklights, Strobe Light - Amber LED, Blue Rear Floor Light Key On, Fire Extinguisher, B-Post Horn, Counterweight Wedge, Tow Hitch Pin, Rubber Floor Mat, Wide Tread, Drive Tire - Non-Marking Smooth, Steer Tires - Non-Marking Smooth, Standard Grounding Strap, Double Accessory Hydraulics, Double Accessory Plumbing, No Hydraulic Function W/Cable, Pressure Regulator, Third Lever Function -, Blank Symbol, Fourth Lever Function -, Carton Clamp Symbol, CUSTOM, Load Backrest -, 39"/990mm x 30"/760mm, Language - US English, Paint - Crown Beige/Gray Paint Colors, Shipment Handling - Standing, Destination Country - United States, Extended Warranty, Major Components - 12 Months, Hour Limitations - 0, Wearables Items - 3 Months. 36 Month Powertrain Warranty S/N: 10478867 (2022) NO</p>



EQUIPMENT  
AUCTIONEERS  
TERM SOLUTIONS  
APPRAISAL

102225 Material Handling Asset List

8609 W. BRYN MAWR, SUITE 208, CHICAGO, IL 60631  
WAREHOUSE 4130 S. WABASH, CHICAGO, IL 60653  
800.560.LOEB(5632) 773.548.4131

Lot #	Online Item Description